


Urządzenie:

**Terespolska 47, Dzienny Dom Senior+ w Zbuczynie**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	27.31
2024-01-02	38.74
2024-01-03	22.74
2024-01-04	19.84
2024-01-05	31.15
2024-01-06	8.16
2024-01-07	12.9
2024-01-08	21.25
2024-01-09	86.41
2024-01-10	90.29
2024-01-11	46.45
2024-01-12	29.94
2024-01-13	20.62
2024-01-14	17.56
2024-01-15	18.85
2024-01-16	31.41
2024-01-17	50.25
2024-01-18	43
2024-01-19	51.92
2024-01-20	28.27
2024-01-21	35.84
2024-01-22	43.16
2024-01-23	32.93
2024-01-24	18.57
2024-01-25	7.67
2024-01-26	22.04
2024-01-27	19.16
2024-01-28	27.97
2024-01-29	32.41
2024-01-30	49.16
2024-01-31	37.66




Urządzenie:

**Terespolska 47, Dzienny Dom Senior+ w Zbuczynie**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	25.84
2024-02-02	13.01
2024-02-03	9.29
2024-02-04	6.86
2024-02-05	8.49
2024-02-06	7.34
2024-02-07	7.44
2024-02-08	33.99
2024-02-09	20.93
2024-02-10	31.25
2024-02-11	26.08
2024-02-12	21.34
2024-02-13	13.59
2024-02-14	39.55
2024-02-15	30.8
2024-02-16	35.78
2024-02-17	32.65
2024-02-18	9.89
2024-02-19	25.73
2024-02-20	17.17
2024-02-21	19.45
2024-02-22	23.52
2024-02-23	28.53
2024-02-24	26.86
2024-02-25	21.8
2024-02-26	26.3
2024-02-27	34.96
2024-02-28	35.68
2024-02-29	14.78




Raport wygenerowano: 2025-05-07 13:55

Urządzenie:

Terespolska 47, Dzienny Dom Senior+ w Zbuczynie

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-03-01	35.32
2024-03-02	30.55
2024-03-03	36.16
2024-03-04	25.71
2024-03-05	29.96
2024-03-06	21.24
2024-03-07	40.21
2024-03-08	77.64
2024-03-09	67.2
2024-03-10	30.09
2024-03-11	16.09
2024-03-12	15.28
2024-03-13	20.24
2024-03-14	33.18
2024-03-15	37.41
2024-03-16	45.1
2024-03-17	11.41
2024-03-18	8.82
2024-03-19	14.87
2024-03-20	59.37
2024-03-21	47.9
2024-03-22	32.73
2024-03-23	21.32
2024-03-24	19.01
2024-03-25	32.99
2024-03-26	30.82
2024-03-27	12.5
2024-03-28	19.5
2024-03-29	18.98
2024-03-30	16.32
2024-03-31	12.66




Raport wygenerowano: 2025-05-07 13:55

Urządzenie:

Terespolska 47, Dzienny Dom Senior+ w Zbuczynie

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-04-01	11.64
2024-04-02	12.45
2024-04-03	6.03
2024-04-04	14.35
2024-04-05	12.07
2024-04-06	14.7
2024-04-07	21.06
2024-04-08	16.17
2024-04-09	14.63
2024-04-10	13.12
2024-04-11	10.89
2024-04-12	8.97
2024-04-13	13.69
2024-04-14	11.8
2024-04-15	18.05
2024-04-16	13.22
2024-04-17	14.16
2024-04-18	10.84
2024-04-19	12.12
2024-04-20	13.95
2024-04-21	4.45
2024-04-22	11.53
2024-04-23	19.97
2024-04-24	14.73
2024-04-25	28.91
2024-04-26	23.25
2024-04-27	20.83
2024-04-28	14.52
2024-04-29	7.71
2024-04-30	6.76




Raport wygenerowano: 2025-05-07 13:55

Urządzenie:

Terespolska 47, Dzienny Dom Senior+ w Zbuczynie

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-05-01	9.49
2024-05-02	5.3
2024-05-03	7.45
2024-05-04	12.83
2024-05-05	8.85
2024-05-06	7.51
2024-05-07	3.47
2024-05-08	4.37
2024-05-09	5.75
2024-05-10	9.81
2024-05-11	4.49
2024-05-12	8.16
2024-05-13	7.12
2024-05-14	4.62
2024-05-15	7.18
2024-05-16	6.73
2024-05-17	4.16
2024-05-18	5.5
2024-05-19	4.34
2024-05-20	7.37
2024-05-21	10.71
2024-05-22	10.49
2024-05-23	8.45
2024-05-24	8.75
2024-05-25	8.81
2024-05-26	9.22
2024-05-27	9.25
2024-05-28	6.39
2024-05-29	6.94
2024-05-30	8.23
2024-05-31	6.95




Raport wygenerowano: 2025-05-07 13:55

Urządzenie:

Terespolska 47, Dzienny Dom Senior+ w Zbuczynie

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	8.43
2024-06-02	6.87
2024-06-03	13.1
2024-06-04	13.01
2024-06-05	11.29
2024-06-06	9.64
2024-06-07	3.9
2024-06-08	8.22
2024-06-09	10.28
2024-06-10	9.72
2024-06-11	8.53
2024-06-12	3.39
2024-06-13	4.88
2024-06-14	5.85
2024-06-15	8.68
2024-06-16	6
2024-06-17	11.13
2024-06-18	5.96
2024-06-19	9.52
2024-06-20	6.25
2024-06-21	12.54
2024-06-22	6.42
2024-06-23	4.07
2024-06-24	4.12
2024-06-25	4.13
2024-06-26	6.72
2024-06-27	8.47
2024-06-28	10.21
2024-06-29	6.96
2024-06-30	9.29




Raport wygenerowano: 2025-05-07 13:55

Urządzenie:

Terespolska 47, Dzienny Dom Senior+ w Zbuczynie

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	7.16
2024-07-02	6.18
2024-07-03	3.56
2024-07-04	4.98
2024-07-05	4.01
2024-07-06	4
2024-07-07	4.24
2024-07-08	4.71
2024-07-09	3.45
2024-07-10	8.1
2024-07-11	11.14
2024-07-12	8.78
2024-07-13	6.91
2024-07-14	4.57
2024-07-15	6.52
2024-07-16	9.12
2024-07-17	9.31
2024-07-18	3.91
2024-07-19	4.12
2024-07-20	3.55
2024-07-21	4.37
2024-07-22	9.76
2024-07-23	9.2
2024-07-24	5
2024-07-25	4.94
2024-07-26	4.43
2024-07-27	7.71
2024-07-28	7.62
2024-07-29	1.28
2024-07-30	1.76
2024-07-31	5.63




Urządzenie:

Terespolska 47, Dzienny Dom Senior+ w Zbuczynie

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-08-01	8.02
2024-08-02	3.09
2024-08-03	7.86
2024-08-04	8.21
2024-08-05	6.69
2024-08-06	4.74
2024-08-07	5.33
2024-08-08	6.22
2024-08-09	10.54
2024-08-10	4.89
2024-08-11	3.74
2024-08-12	3.02
2024-08-13	2.22
2024-08-14	10.36
2024-08-15	2.49
2024-08-16	9.85
2024-08-17	11.12
2024-08-18	10.08
2024-08-19	11.24
2024-08-20	4.27
2024-08-21	8.74
2024-08-22	3.07
2024-08-23	7.07
2024-08-24	11.64
2024-08-25	12.1
2024-08-26	1.4
2024-08-27	6.49
2024-08-28	12.98
2024-08-29	16.11
2024-08-30	17.67
2024-08-31	16.88



Raport wygenerowano: 2025-05-07 13:55




Urządzenie:

Terespolska 47, Dzienny Dom Senior+ w Zbuczynie

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-09-01	5.08
2024-09-02	11.71
2024-09-03	20.64
2024-09-04	21.66
2024-09-05	15.39
2024-09-06	19.71
2024-09-07	16.22
2024-09-08	7.83
2024-09-09	8.68
2024-09-10	9.24
2024-09-11	10.39
2024-09-12	11.45
2024-09-13	10.42
2024-09-14	8.98
2024-09-15	8.46
2024-09-16	13.91
2024-09-17	41.48
2024-09-18	18.55
2024-09-19	18.61
2024-09-20	15.96
2024-09-21	17.81
2024-09-22	15.98
2024-09-23	16.37
2024-09-24	17.46
2024-09-25	14.3
2024-09-26	9.83
2024-09-27	3.71
2024-09-28	4.63
2024-09-29	2.39
2024-09-30	1.14




Raport wygenerowano: 2025-05-07 13:55

Urządzenie:

Terespolska 47, Dzienny Dom Senior+ w Zbuczynie

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-10-01	6.74
2024-10-02	10.74
2024-10-03	14.13
2024-10-04	9.65
2024-10-05	2.46
2024-10-06	9.04
2024-10-07	22.26
2024-10-08	15.64
2024-10-09	11.84
2024-10-10	8.24
2024-10-11	8.51
2024-10-12	12.39
2024-10-13	12.39
2024-10-14	7.05
2024-10-15	16.33
2024-10-16	11.98
2024-10-17	8.27
2024-10-18	8.1
2024-10-19	13.46
2024-10-20	16.92
2024-10-21	31.27
2024-10-22	43.58
2024-10-23	23.97
2024-10-24	29.19
2024-10-25	24.57
2024-10-26	44.99
2024-10-27	51.63
2024-10-28	34.91
2024-10-29	33.24
2024-10-30	15.62
2024-10-31	6.86




Urządzenie:

Terespolska 47, Dzienny Dom Senior+ w Zbuczynie

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-11-01	15.03
2024-11-02	11.85
2024-11-03	13.67
2024-11-04	33.44
2024-11-05	52.76
2024-11-06	67.93
2024-11-07	50.75
2024-11-08	13.95
2024-11-09	16.58
2024-11-10	29.58
2024-11-11	42.81
2024-11-12	31.44
2024-11-13	32.29
2024-11-14	26.59
2024-11-15	15.46
2024-11-16	20
2024-11-17	27.46
2024-11-18	11.04
2024-11-19	15.87
2024-11-20	12.1
2024-11-21	14.51
2024-11-22	45.77
2024-11-23	26.27
2024-11-24	24.92
2024-11-25	25.48
2024-11-26	34.4
2024-11-27	38.97
2024-11-28	38.46
2024-11-29	24.34
2024-11-30	22.99




Urządzenie:

**Terespolska 47, Dzienny Dom Senior+ w Zbuczynie**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-12-01	33.47
2024-12-02	28.27
2024-12-03	43.03
2024-12-04	61.34
2024-12-05	51.15
2024-12-06	39.12
2024-12-07	30.54
2024-12-08	11.03
2024-12-09	5.98
2024-12-10	7.64
2024-12-11	23.04
2024-12-12	25.11
2024-12-13	30.96
2024-12-14	39.4
2024-12-15	17.6
2024-12-16	5.96
2024-12-17	9.36
2024-12-18	14.13
2024-12-19	17.48
2024-12-20	12.9
2024-12-21	22.09
2024-12-22	22.74
2024-12-23	51.99
2024-12-24	40.04
2024-12-25	59.87
2024-12-26	51.51
2024-12-27	39.43
2024-12-28	23.04
2024-12-29	32.25
2024-12-30	26.1



Raport wygenerowano: 2025-05-07 13:55

Urządzenie:

## Terespolska 47, Dzienny Dom Senior+ w Zbuczynie

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

